




HG182 USER MANUAL

hygger OxyBlast Bubble Strip



hygger OxyBlast Bubble Strip is the perfect choice for freshwater, saltwater and pond oxygenation.

Attention:

1. Soak the bubble strip in water for at least 30 minutes before use to ensure the bubbles are more uniform and delicate.
2. Select an air pump compatible with the bubble strip's air volume and power requirements. (Air pump not included)
3. After connecting the bubble strip, place it into the water and repeatedly remove and insert the air tube to quickly achieve the atomization effect by forcing water back through the tube.
4. Easy to clean, suitable for both freshwater and saltwater environments.


1. PRODUCT FEATURES

1. The air is evenly distributed, creating bubbles like mist.
2. The thicker and heavier strip do not float and sink to the bottom.
3. The vertical blow nozzle ensures a bubble-free operation.
4. Made of PVC and ABS materials, it is suitable for use in both fresh and seawater.

2. PRODUCT SPECIFICATIONS

MODEL	Size	Applicable aquarium size (length)	The required air pump output	Air tube caliber
HG182-15CM	15*2.5*1.7cm/ 5.9*1*0.67inches	≥20cm	≥3W	4mm
HG182-25CM	25*2.5*1.7cm/ 9.8*1*0.67inches	≥30CM	≥3W	4mm
HG182-35CM	35*2.5*1.7cm/ 13.8*1*0.67inches	≥40cm	≥5W	4mm
HG182-43CM	43*2.5*1.7cm/ 16.9*1*0.67inch	≥45cm	≥5W	4mm
HG182-55CM	55*2.5*1.7cm/ 21.7*1*0.67inch	≥60cm	≥5W	4mm
HG182-70CM	70*2.5*1.7cm/ 27.5*1*0.67inch	≥75cm	≥5W	4mm

3. INSTALLATION DIAGRAM



4. TROUBLESHOOTING

1. No airflow output: Check if the check valve is installed backward or if the air pump power is too low.
2. Uneven airflow output: Set the air pump to the highest setting and reinstall the air tubing for a more defined refinement effect.

5. PACKING LIST

- 1 x Air bubble strip
- 1 x 2m Air tube
- 1 x Transparent suction cup
- 1 x User manual

6. CONTACT INFORMATION

E-mail: service@hygger-online.com

Website: www.hygger-online.com